

DURANT CITY UTILITIES AUTHORITY

6:00 PM

September 8, 2026

**Roscoe J. Hatfield
Council Chambers,
300 West Evergreen,
Durant, Oklahoma**

AGENDA

CALL TO ORDER

ROLL CALL

ORDER OF BUSINESS

1. Consent Items

To help streamline meetings and allow the focus to be on other items requiring strategic thought, the "Consent Items" portion of the agenda groups the routine, procedural, and self-explanatory non-controversial items together. These items are voted on in a single motion (one vote). However, any Council member requesting further information on a specific item thus removes it from the "Consent Items" section for individual attention and separate vote.

- a. Consider Approval of Regular Session Minutes of August 11th, 2026.

2. Consider Items Removed from Consent

3. Administration

- a. Consider and Possible Action pertaining to bid tabulation for C&D Landfill Cell 2A Project and award contract.

4. New Business

ADJOURNMENT

CERTIFICATE

This is to certify that in conformity with the Oklahoma Open Meeting Act, public notice of the date, time and place of this meeting was filed with the City Clerk of Durant on the 18th day of November, 2026 and that an agenda of said meeting was posted at the place of such meeting by 3:00 p.m. on

the 4th day of September, 2026.

Nacy Story

Nacy Story, City of Durant

The City of Durant encourages participation from all its citizens. If participation at any public meeting is not possible due to a disability, notification to the City Clerk at least 48 hours prior to the scheduled meeting is encouraged in order to make the necessary accommodations. The City of Durant may waive the 48-hour rule if interpreters for the deaf (signing) or translation services for limited English proficient (LEP) individuals are not necessary accommodation.



The City of Durant

[AGENDA_ITEM_DEPARTMENT]

Memorandum

Date: 9/8/2026
To: Mayor and City Council
From:
Re: Consider Approval of Regular Session Minutes of August 11th, 2026.

Council Information / Action Requested

City Staff Information / Action Follow-up, if Council authorizes this action:

ATTACHMENTS:

1. Durant City Utilities Authority Minutes 81126 njs

MINUTES OF THE MEETING OF DURANT CITY UTILITIES AUTHORITY

August 11, 2026 AT 6:00 PM,

**Roscoe J. Hatfield
Council Chambers,
300 West Evergreen,
Durant, Oklahoma**

CALL TO ORDER

Chairman Tucker called the meeting to order at 6:38 pm.

ROLL CALL

Present:

Trustee Humphrey Miller
Trustee Clint Morrison
Trustee Danny Sherrer
Vice Chairman Mike Simulescu
Chairman Martin Tucker
City Attorney Doug Elliott
City Manager Pam Polk
City Clerk Nancy Story

Absent:

None

ORDER OF BUSINESS

1. Consent Items

To help streamline meetings and allow the focus to be on other items requiring strategic thought, the "Consent Items" portion of the agenda groups the routine, procedural, and self-explanatory non-controversial items together. These items are voted on in a single motion (one vote). However, any Council member requesting further information on a specific item thus removes it from the "Consent Items" section for individual attention and separate vote.

Motion To: Approve consent items.

Motion By: Mike Simulescu

Seconded By: Humphrey Miller

Ayes: Simulescu, Miller, Tucker, Sherrer and Morrison

Nays: None
Abstain: None

- a. Consider Approval of Regular Session Minutes of July 14, 2026.
- b. Consider Approval of Special Session Minutes of July 23, 2026.
- c. Consider Approval of Special Session Minutes of July 30, 2026.

2. Consider Items Removed from Consent

3. New Business

ADJOURNMENT

Motion To: Adjourn
Motion By: Martin Tucker
Seconded By: Humphrey Miller
Ayes: Morrison, Simulescu, Sherrer, Miller and Tucker
Nays: None
Abstain: None

This is to certify that in conformity with the Oklahoma Open Meeting Act, public notice of the date, time and place of this meeting was filed with the City Clerk of Durant on the 18th day of November 2025 and that an agenda of said meeting was posted at the place of such meeting by 4:30 p.m. on the 7th day of August 2026.

Nacy Story

Nacy Story, City of Durant



The City of Durant

[AGENDA_ITEM_DEPARTMENT]

Memorandum

Date: 9/8/2026
To: Mayor and City Council
From:
Re: Administration

Council Information / Action Requested

City Staff Information / Action Follow-up, if Council authorizes this action:

ATTACHMENTS:



The City of Durant

[AGENDA_ITEM_DEPARTMENT]

Memorandum

Date: 9/8/2026
To: Mayor and City Council
From: Nancy Story, City Clerk
Re: Consider and Possible Action pertaining to bid tabulation for C&D Landfill Cell 2A Project and award contract.

Council Information / Action Requested

City Staff Information / Action Follow-up, if Council authorizes this action:

ATTACHMENTS:

1. CONTRACTOR SCOPE OF WORK
2. C&D LANDFILL CELL 2A PROJECT BID TABULATION
3. COLEMAN CONSTRUCTION
4. TRICORE GROUP, LLC
5. D&R CONSTRUCTION & MATERIALS
6. ACCELL CONSTRUCTION, INC.
7. BLAKE GOODE
8. KC DURTWORKS, LLC
9. B.J.'S OILFIELD CONSTRUCTION
10. STEPHENSON DIRT CONTRACTING

CONTRACTOR SCOPE OF WORK

City of Durant C&D Landfill - Cell 2A Bryan County, Oklahoma

PROJECT OVERVIEW

This Scope of Work outlines the general activities, responsibilities, and deliverables associated with the earthwork construction for Cell 2A at the City of Durant C&D Landfill. The work generally includes site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner, placement of a one-foot protective soil layer over the clay liner after the liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings.

The compacted clay liner shall be constructed to achieve a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec and shall serve as the low-permeability soil component of the landfill liner system.

Cell 2A is shown on the construction plans as approximately 2.98 acres. Plan quantities include approximately 14,929 cubic yards of cut, 379 cubic yards of fill, and approximately 14,423 cubic yards for the three-foot recompacted clay liner. The approximate surface area of Cell 2A is 129,809 square feet. The estimated quantity for the one-foot protective soil layer is approximately 4,808 cubic yards. These quantities are estimates only and shall be verified by the Contractor.

PROJECT SCHEDULE

Time is of the essence. The City of Durant desires that the project be completed in an expeditious manner. The construction activities are generally anticipated to include the following phases:

Phase 1: Site Preparation and Excavation

Phase 2: Structural Fill, Subgrade Preparation, and Existing Liner Tie-In Preparation

Phase 3: Clay Liner Construction

Phase 4: Protective Soil Layer Placement

Phase 5: Temporary Drainage Controls, Site Restoration, and Cleanup

QA/QC PLAN REQUIREMENT

All work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan. The Contractor shall cooperate with the Owner, Consultant, Project Engineer, CQA monitor, surveyor, and testing personnel throughout the project and shall provide reasonable access to the work for inspection, testing, surveying, documentation, and verification.

Work subject to QA/QC testing, observation, or approval shall not be covered, concealed, or advanced until the required observations, tests, or approvals have been completed. This includes, but is not limited to, subgrade preparation, structural fill, compacted clay liner placement, liner tie-in preparation, liner thickness verification, hydraulic conductivity testing, protective soil placement, and related work.

The Contractor shall be responsible for correcting, at no additional cost to the Owner, any work that does not meet the requirements of the project plans, specifications, permit documents, or QA/QC Plan.

RESPONSIBILITIES

Contractor Responsibilities:

1. Provide all necessary labor, equipment, supervision, and materials required to complete the work included in this Scope of Work.
 2. Perform the work in accordance with the construction drawings, project specifications, permit requirements, and Construction Quality Assurance/Quality Control Plan.
 3. Adhere to all applicable health, safety, and environmental regulations.
 4. Coordinate construction activities with the landfill owner/operator, Consultant, Project Engineer, CQA monitor, testing personnel, surveyor, and other relevant parties.
 5. Maintain the integrity of completed work and protect work areas from damage, erosion, desiccation, freezing, ponded water, traffic damage, or other conditions that may adversely affect the completed work.
 6. Provide access for surveying, inspection, testing, and documentation.
 7. Conduct regular inspections of the work and maintain accurate records of work progress.
 8. Repair, replace, or rework deficient work as required by the Owner, Consultant, Project Engineer, or CQA monitor.
- Landfill Owner/Operator Responsibilities:

1. Provide access to the site and identify available utilities for construction activities.
2. Coordinate with the Contractor in planning and executing the project.
3. Arrange for required construction quality assurance testing, inspection, surveying, and documentation by others.
4. Coordinate with regulatory authorities, as necessary.
5. Provide general direction regarding landfill operations, site access, traffic routing, and work areas.

CONSTRUCTION ACTIVITIES

Site Preparation and Excavation

1. Clear the designated construction area of vegetation, debris, and other obstructions, as necessary.
2. Excavate an estimated 14,929 cubic yards of soil from the specified area to the required grades and subgrades shown on the construction drawings.
3. Construct an estimated 379 cubic yards of structural fill as shown on the construction drawings.
4. Perform necessary grading to achieve the required subgrade elevations and surface conditions.
5. Compact the upper six inches of the surface on which the liner is to be placed to a minimum of 90% of the Standard Proctor density, as determined by ASTM D698.
6. Prepare the existing Cell 1A liner tie-in area in accordance with the construction drawings and as directed by the Owner, Consultant, Project Engineer, and CQA monitor.
7. Construct required berms, trenches, drainage features, or other temporary controls necessary to manage surface water run-on and runoff during construction.
8. Maintain the work area in a stable and workable condition throughout construction.

Clay Liner Construction

The clay liner will encompass approximately 129,809 square feet and shall be constructed in the following manner:

1. Scarify the surface on which each lift is to be placed to a nominal depth of approximately one inch.
2. Place each lift of soil at a loose thickness of nine inches or less.
3. Compact and remold each lift to a compacted thickness of six inches or less using a heavy-footed roller equipped with feet capable of fully penetrating the loose lift of soil.
4. Construct the three-foot-thick liner in multiple compacted lifts. Each compacted lift shall be no greater than six inches thick unless otherwise approved by the Owner, Consultant, Project Engineer, and CQA monitor.
5. Compact each lift to a minimum density of at least 95% of the Standard Proctor density, as determined by ASTM D698, or 90% of the Modified Proctor density, as determined by ASTM D1557, unless otherwise approved by the Owner, Consultant, Project Engineer, or CQA monitor, provided that the hydraulic conductivity requirement of 1.0×10^{-5} cm/sec is achieved.

6. Remove rocks, cobbles, roots, organic material, debris, and other foreign objects greater than one inch in diameter.
7. Protect completed liner surfaces from desiccation, cracking, erosion, freezing, ponded water, equipment damage, and contamination.
8. Inspect completed liner surfaces for flaws, cracks, soft areas, loose areas, or other defects.
9. Repair, replace, rework, and retest any portion of the liner that does not satisfy the project requirements.
10. Coordinate with QA/QC personnel so that required density, moisture, thickness, hydraulic conductivity, surveying, and other verification testing or documentation can be completed.

Clay soil suitable for construction of the compacted clay liner is anticipated to be available within the excavation area. Construction verification testing will be performed by others; however, the Contractor shall fully coordinate with the testing personnel and shall not proceed with work that would cover or interfere with testing until the required testing or approval has been completed.

Protective Soil Layer

1. After the clay liner has been constructed, tested, and thickness verified, place a one-foot-thick protective soil layer over the compacted clay liner. The estimated protective soil quantity is approximately 4,808 cubic yards.
2. Place protective soil in a manner that does not damage, rut, crack, desiccate, contaminate, or otherwise compromise the completed clay liner.
3. Do not place protective soil until required QA/QC observations, testing, surveying, and approvals for the underlying clay liner have been completed.
4. Maintain positive drainage and protect the protective soil layer from erosion, ponding, and traffic damage until the work is accepted.

Miscellaneous

The Contractor shall perform other related work shown on the construction drawings or reasonably necessary to complete the project, including but not limited to temporary drainage controls, maintenance of access, protection of existing facilities, protection of survey control, and coordination with ongoing landfill operations.

SITE RESTORATION AND CLEANUP

Upon completion of the work, the Contractor shall clean all areas used for construction, staging, fueling, maintenance, storage, and access. Cleanup shall include removal of construction-related waste, trash, excess materials, debris, and temporary facilities unless otherwise approved by the Owner.

Disturbed areas not incorporated into the final landfill cell construction shall be graded and stabilized as directed by the Owner.

HEALTH, SAFETY, AND ENVIRONMENTAL CONSIDERATIONS

The Contractor shall strictly adhere to all applicable health, safety, and environmental regulations. The Contractor shall implement appropriate measures to minimize dust, noise, erosion, sediment transport, stormwater impacts, and the release of pollutants during construction.

The Contractor shall be responsible for maintaining safe work conditions, protecting landfill personnel and the public, and promptly reporting and responding to spills, releases, unsafe conditions, or other environmental or safety concerns.

CITY OF DURANT

BID TABULATION FORM

C&D LANDFILL – CELL 2A PROJECT

BID DEADLINE: AUGUST 10TH, 2026 @ 2:00 P.M.

BID OPENING: AUGUST 10TH, 2026 @ 2:01 P.M.

<u>BIDDER</u>	<u>AMOUNT</u>
COLEMAN CONSTRUCTION	\$457,039.50
TRICORE GROUP, LLC	\$406,951.18
D&R CONSTRUCTION & MATERIALS	\$177,140.94
ACCELL CONSTRUCTION, LLC	\$323,150.00
BLAKE GOODE	\$330,469.79
KC DURTWORKS, LLC	\$242,379.26
B.J.'S CIVIL & OILFIELD CONSTRUCTION	\$454,650.60
STEPHENSON DIRT CONTRACTING	\$340,068.68

ATTENDANCE:

NACY STORY, CITY CLERK

PHILLIP HIGHTOWER, PUBLIC WORKS DIRECTOR

Proposal of Coleman Construction "A corporation"

(Hereinafter called "Bidder"), organized and existing under the laws of the State of Wyoming doing business as Coleman Construction "A Corporation" * to City of Durant, Oklahoma (hereinafter called "Owner").

In compliance with the City of Durant's Advertisement for Bids, Bidder hereby proposes to perform all work associated with Cell 2A earthwork construction at the City of Durant C&D Landfill, including site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner with a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec, placement of a one-foot protective soil layer after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings and described in the contract documents, within the time set forth therein and at the prices stated below.

Bidder acknowledges that all work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan, and that work subject to required QA/QC observation, testing, surveying, thickness verification, or approval shall not be covered, concealed, or advanced until the required observations, tests, surveys, or approvals have been completed.

By submission of this bid, each Bidder certifies, and in the case of a joint bid each party certifies as to its own organization, that this bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this bid, with any other Bidder or with any competitor.

Bidder hereby agrees to commence work under this contract within ten (10) days of the date to be specified in the Notice to Proceed and to fully complete the project within 90 consecutive calendar days thereafter.

No Bidder may withdraw a bid within 60 days after the actual opening thereof.

Bidder acknowledges receipt of the following addenda:

7.30.2026 - Durant LF Cell 2A Const. Plans

8.3.2026 - Scan-Subsurface Investigation Rpt

Bidder agrees to perform all the work described in the contract documents, including coordination with QA/QC personnel, for the following unit prices or lump sum amounts.


NOTE: Bids shall include sales tax and all other applicable taxes and fees.

*Insert "a corporation", "a partnership" or "an individual", as applicable.

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

No.	Bid Item	Estimated Quantity	Units	Bid Unit Price	Bid Total Price
1	Mobilization and Demobilization	1	lump sum	\$100,000.00	\$100,000.00
2	Clearing and Grubbing	3	acres	\$2,500.00	\$7,500.00
3	Soil Excavation	14,929	cubic yards	\$4.50	\$67,180.50
4	Structural Fill	379	cubic yards	\$6.50	\$2,463.50
5	Subgrade Preparation	129,809	square feet	\$1.00	\$129,809.00
6	Existing Liner Tie-In Preparation	1	lump sum	\$5,000.00	\$5,000.00
7	Compacted Clay Liner Construction (On-Site Material)	14,423	cubic yards	\$6.50	\$93,749.50
8	Imported Clay Liner Material, if required	1	cubic yard unit price	\$85.00	\$85.00
9	Protective Soil Layer	4,808	cubic yards	\$6.50	\$31,252.00
10	Temporary Drainage Controls	1	lump sum	\$15,000.00	\$15,000.00
11	Site Restoration and Cleanup	1	lump sum	\$5,000.00	\$5,000.00
				Bid Total:	\$457,039.50

Respectfully Submitted,

 Signature	<u>Coleman Construction</u> Company Name
<u>Lead Estimator</u> Title	<u>1031 Adams Ave. Cheyenne WY 82001</u> Address
<u>8.6.2026</u> Date	<u>307-389-8550</u> Telephone Number

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

Proposal of TriCore Group, LLC

(Hereinafter called "Bidder"), organized and existing under the laws of the State of Oklahoma doing business as TriCore Group, LLC * to City of Durant, Oklahoma (hereinafter called "Owner").

In compliance with the City of Durant's Advertisement for Bids, Bidder hereby proposes to perform all work associated with Cell 2A earthwork construction at the City of Durant C&D Landfill, including site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner with a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec, placement of a one-foot protective soil layer after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings and described in the contract documents, within the time set forth therein and at the prices stated below.

Bidder acknowledges that all work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan, and that work subject to required QA/QC observation, testing, surveying, thickness verification, or approval shall not be covered, concealed, or advanced until the required observations, tests, surveys, or approvals have been completed.

By submission of this bid, each Bidder certifies, and in the case of a joint bid each party certifies as to its own organization, that this bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this bid, with any other Bidder or with any competitor.

Bidder hereby agrees to commence work under this contract within ten (10) days of the date to be specified in the Notice to Proceed and to fully complete the project within 60 consecutive calendar days thereafter.

No Bidder may withdraw a bid within 60 days after the actual opening thereof.

Bidder acknowledges receipt of the following addenda:

Bidder agrees to perform all the work described in the contract documents, including coordination with QA/QC personnel, for the following unit prices or lump sum amounts.


NOTE: Bids shall include sales tax and all other applicable taxes and fees.

*Insert "a corporation", "a partnership" or "an individual", as applicable.

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

No.	Bid Item	Estimated Quantity	Units	Bid Unit Price	Bid Total Price
1	Mobilization and Demobilization	1	lump sum	\$45,000	\$45,000.00
2	Clearing and Grubbing	3	acres	\$4,725	\$14,175.00
3	Soil Excavation	14,929	cubic yards	\$5.81	\$86,737.49
4	Structural Fill	379	cubic yards	\$19.27	\$7,303.33
5	Subgrade Preparation	129,809	square feet	\$0.10	\$12,980.90
6	Existing Liner Tie-In Preparation	1	lump sum	\$8,127.00	\$8,127.00
7	Compacted Clay Liner Construction (On-Site Material)	14,423	cubic yards	\$13.56	\$195,575.88
8	Imported Clay Liner Material, if required	1	cubic yard unit price	\$33.75	\$33.75
9	Protective Soil Layer	4,808	cubic yards	\$6.76	\$32,502.08
10	Temporary Drainage Controls	1	lump sum	\$2,025.00	\$2,025.00
11	Site Restoration and Cleanup	1	lump sum	\$2,524.50	\$2,524.50
				Bid Total:	\$406,951.18

Respectfully Submitted,

	TriCore Group, LLC
Signature	Company Name
Managing Member	PO 720992, OKC, OK 73172
Title	Address
8/10/2026	(405) 250-3921
Date	Telephone Number

Proposal of D & R Construction & Materials, LLC

(Hereinafter called "Bidder"), organized and existing under the laws of the State of Oklahoma doing business as D & R Construction & Materials, LLC * to City of Durant, Oklahoma (hereinafter called "Owner").

In compliance with the City of Durant's Advertisement for Bids, Bidder hereby proposes to perform all work associated with Cell 2A earthwork construction at the City of Durant C&D Landfill, including site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner with a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec, placement of a one-foot protective soil layer after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings and described in the contract documents, within the time set forth therein and at the prices stated below.

Bidder acknowledges that all work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan, and that work subject to required QA/QC observation, testing, surveying, thickness verification, or approval shall not be covered, concealed, or advanced until the required observations, tests, surveys, or approvals have been completed.

By submission of this bid, each Bidder certifies, and in the case of a joint bid each party certifies as to its own organization, that this bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this bid, with any other Bidder or with any competitor.

Bidder hereby agrees to commence work under this contract within ten (10) days of the date to be specified in the Notice to Proceed and to fully complete the project within 45 consecutive calendar days thereafter.

No Bidder may withdraw a bid within 60 days after the actual opening thereof.

Bidder acknowledges receipt of the following addenda:

-NA-

Bidder agrees to perform all the work described in the contract documents, including coordination with QA/QC personnel, for the following unit prices or lump sum amounts.

NOTE: Bids shall include sales tax and all other applicable taxes and fees.

*Insert "a corporation", "a partnership" or "an individual", as applicable.

No.	Bid Item	Estimated Quantity	Units	Bid Unit Price	Bid Total Price
1	Mobilization and Demobilization	1	lump sum	\$9,000.00	\$9,000.00
2	Clearing and Grubbing	3	acres	\$750.00	\$2,250.00
3	Soil Excavation	14,929	cubic yards	\$2.90	\$43,294.10
4	Structural Fill	379	cubic yards	\$23.00	\$8,717.00
5	Subgrade Preparation	129,809	square feet	\$0.26	\$33,750.34
6	Existing Liner Tie-In Preparation	1	lump sum	\$4,500.00	\$4,500.00
7	Compacted Clay Liner Construction (On-Site Material)	14,423	cubic yards	\$3.50	\$50,480.50
8	Imported Clay Liner Material, if required	1	cubic yard unit price	\$21.00	\$21.00
9	Protective Soil Layer	4,808	cubic yards	\$3.50	\$16,828.00
10	Temporary Drainage Controls	1	lump sum	\$2,600.00	\$2,600.00
11	Site Restoration and Cleanup	1	lump sum	\$5,700.00	\$5,700.00
				Bid Total:	\$177,140.94

Respectfully Submitted,

<u>Renee Ables</u>	<u>D & R Construction & Materials, LLC</u>
Signature	Company Name
<u>Member</u>	<u>12262 W Voca Rd, Coleman, OK 73432</u>
Title	Address
<u>08/10/2026</u>	<u>580-579-0535</u>
Date	Telephone Number

Proposal of Accell Construction, Inc.

(Hereinafter called "Bidder"), organized and existing under the laws of the State of Oklahoma doing business as _____ a Corporation * to City of Durant, Oklahoma (hereinafter called "Owner").

In compliance with the City of Durant's Advertisement for Bids, Bidder hereby proposes to perform all work associated with Cell 2A earthwork construction at the City of Durant C&D Landfill, including site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner with a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec, placement of a one-foot protective soil layer after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings and described in the contract documents, within the time set forth therein and at the prices stated below.

Bidder acknowledges that all work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan, and that work subject to required QA/QC observation, testing, surveying, thickness verification, or approval shall not be covered, concealed, or advanced until the required observations, tests, surveys, or approvals have been completed.

By submission of this bid, each Bidder certifies, and in the case of a joint bid each party certifies as to its own organization, that this bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this bid, with any other Bidder or with any competitor.

Bidder hereby agrees to commence work under this contract within ten (10) days of the date to be specified in the Notice to Proceed and to fully complete the project within 50 consecutive calendar days thereafter.

No Bidder may withdraw a bid within 60 days after the actual opening thereof.

Bidder acknowledges receipt of the following addenda:

Received Durant LF Cell 2A Const Plans.pdf & Cell 2A Limits.jpg on 7/30/2026 via. Email

Received Scan-Subsurface Investigation Rpt.pdf on 8/3/2026 via. Email

Bidder agrees to perform all the work described in the contract documents, including coordination with QA/QC personnel, for the following unit prices or lump sum amounts.


NOTE: Bids shall include sales tax and all other applicable taxes and fees.

*Insert "a corporation", "a partnership" or "an individual", as applicable.

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

No.	Bid Item	Estimated Quantity	Units	Bid Unit Price	Bid Total Price
1	Mobilization and Demobilization	1	lump sum	\$25,112.52	\$25,112.52
2	Clearing and Grubbing	3	acres	\$1,300.00	\$3,900.00
3	Soil Excavation	14,929	cubic yards	\$6.00	\$89,574.00
4	Structural Fill	379	cubic yards	\$9.50	\$3,600.50
5	Subgrade Preparation	129,809	square feet	\$0.22	\$28,557.98
6	Existing Liner Tie-In Preparation	1	lump sum	\$3,000.00	\$3,000.00
7	Compacted Clay Liner Construction (On-Site Material)	14,423	cubic yards	\$9.50	\$137,018.50
8	Imported Clay Liner Material, if required	1	cubic yard unit price	\$38.50	\$38.50
9	Protective Soil Layer	4,808	cubic yards	\$6.00	\$28,848.00
10	Temporary Drainage Controls	1	lump sum	\$500.00	\$500.00
11	Site Restoration and Cleanup	1	lump sum	\$3,000.00	\$3,000.00
				Bid Total:	\$323,150.00

Respectfully Submitted,

 Signature	Accell Construction, Inc. Company Name
Stephen J. Todhunter - President Title	1020 N. Linwood Ave., Cushing, OK 74023 Address
8/10/2026 Date	918-343-0993 Telephone Number

Bid Bond

CONTRACTOR:

(Name, legal status and address)

Accell Construction, Inc.

PO Box 2130

Claremore, OK 74018

OWNER:

(Name, legal status and address)

City of Durant, OK

300 W Evergreen

Durant, OK 74702

BOND AMOUNT: Five Percent of Total Amount Bid (5%)

PROJECT:

(Name, location or address, and Project number, if any)

City of Durant C&D Landfill - Cell 2A, Permit No. 3507001 - Excavation, Clay Liner Construction,
Protective Soil Layer Construction

SURETY:

(Name, legal status and principal place
of business)

Merchants National Bonding, Inc.

A Corporation

2100 Fleur Drive, Des Moines, IA 50321-1158

This document has important legal
consequences. Consultation with
an attorney is encouraged with
respect to its completion or
modification.

Any singular reference to
Contractor, Surety, Owner or
other party shall be considered
plural where applicable.


The Contractor and Surety are bound to the Owner in the amount set forth above, for the payment of which the Contractor and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, as provided herein. The conditions of this Bond are such that if the Owner accepts the bid of the Contractor within the time specified in the bid documents, or within such time period as may be agreed to by the Owner and Contractor, and the Contractor either (1) enters into a contract with the Owner in accordance with the terms of such bid, and gives such bond or bonds as may be specified in the bidding or Contract Documents, with a surety admitted in the jurisdiction of the Project and otherwise acceptable to the Owner, for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof; or (2) pays to the Owner the difference, not to exceed the amount of this Bond, between the amount specified in said bid and such larger amount for which the Owner may in good faith contract with another party to perform the work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect. The Surety hereby waives any notice of an agreement between the Owner and Contractor to extend the time in which the Owner may accept the bid. Waiver of notice by the Surety shall not apply to any extension exceeding sixty (60) days in the aggregate beyond the time for acceptance of bids specified in the bid documents, and the Owner and Contractor shall obtain the Surety's consent for an extension beyond sixty (60) days.


If this Bond is issued in connection with a subcontractor's bid to a Contractor, the term Contractor in this Bond shall be deemed to be Subcontractor and the term Owner shall be deemed to be Contractor.

When this Bond has been furnished to comply with a statutory or other legal requirement in the location of the Project, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. When so furnished, the intent is that this Bond shall be construed as a statutory bond and not as a common law bond.

Signed and sealed this 10th day of August, 2026

Accell Construction, Inc.


(Witness) Taylor Miller


(Principal) (Seal)
Stephen J. Tadhunter, President
(Title)

POWER OF ATTORNEY

Know All Persons By These Presents, that MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., both being corporations of the State of Iowa, and MERCHANTS NATIONAL INDEMNITY COMPANY, an assumed name of Merchants National Bonding, Inc., (herein collectively called the "Companies") do hereby make, constitute and appoint, individually,

Becky Killman; Bobby J Young; Brennan Morgan; Callie Woodard; Carey Kenemer; Daniel A Woolsey; Deborah L Raper; Dwight A Pilgrim; Faith Burleson; Gary Liles; Jamie M Burris; John Kelly Deer; John McClellan; Kristin Lewis; Madison Burris; Michael Bettlach; Michael L Swift; Randy D Webb; Shelli R Samsel; Teresa Allen; Thomas Perrault; Travis E Brown; Trevor Shetley; Vaughn Graham Jr; Vicki Wilson

their true and lawful Attorney(s)-in-Fact, to sign its name as surety(ies) and to execute, seal and acknowledge any and all bonds, undertakings, contracts and other written instruments in the nature thereof, on behalf of the Companies in their business of guaranteeing the fidelity of persons, guaranteeing the performance of contracts and executing or guaranteeing bonds and undertakings required or permitted in any actions or proceedings allowed by law.

This Power-of-Attorney is granted and is signed and sealed by facsimile under and by authority of the By-Laws adopted by the Board of Directors of the Companies.

"The President, Secretary, Treasurer, or any Assistant Treasurer or any Assistant Secretary or any Vice President shall have power and authority to appoint Attorneys-in-Fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof."

"The signature of any authorized officer and the seal of the Company may be affixed by facsimile or electronic transmission to any Power of Attorney or Certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship or obligations of the Company, and such signature and seal when so used shall have the same force and effect as though manually fixed."

In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.

In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner - Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

In Witness Whereof, the Companies have caused this instrument to be signed and sealed this 13th day of January, 2026.




MERCHANTS BONDING COMPANY (MUTUAL)
MERCHANTS NATIONAL BONDING, INC.
MERCHANTS NATIONAL INDEMNITY COMPANY

By

Larry Taylor

STATE OF IOWA
COUNTY OF DALLAS ss.

On this 13th day of January, 2026, before me appeared Larry Taylor, to me personally known, who being by me duly sworn did say that he is President of MERCHANTS BONDING COMPANY (MUTUAL), MERCHANTS NATIONAL BONDING, INC., and MERCHANTS NATIONAL INDEMNITY COMPANY; and that the seals affixed to the foregoing instrument are the Corporate Seals of the Companies; and that the said instrument was signed and sealed in behalf of the Companies by authority of their respective Boards of Directors.



(Expiration of notary's commission
does not invalidate this instrument)

Penni Miller

Notary Public

I, Elisabeth Sandersfeld, Secretary of MERCHANTS BONDING COMPANY (MUTUAL), MERCHANTS NATIONAL BONDING, INC., and MERCHANTS NATIONAL INDEMNITY COMPANY do hereby certify that the above and foregoing is a true and correct copy of the POWER-OF-ATTORNEY executed by said Companies, which is still in full force and effect and has not been amended or revoked.

In Witness Whereof, I have hereunto set my hand and affixed the seal of the Companies on this 10th day of August, 2026.



Elisabeth Sandersfeld

Proposal of _Blake Goode Welding and Construction, LC_

(Here in after called "Bidder"), organized and existing under the laws of the State of Texas_ doing business as _True Grit Works_* to City of Durant, Oklahoma (hereinafter called "Owner").

In compliance with the City of Durant's Advertisement for Bids, Bidder hereby proposes to perform all work associated with Cell 2A earthwork construction at the City of Durant C&D Landfill, including site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner with a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec, placement of a one-foot protective soil layer after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings and described in the contract documents, within the time set forth therein and at the prices stated below.

Bidder acknowledges that all work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan, and that work subject to required QA/QC observation, testing, surveying, thickness verification, or approval shall not be covered, concealed, or advanced until the required observations, tests, surveys, or approvals have been completed.

By submission of this bid, each Bidder certifies, and in the case of a joint bid each party certifies as to its own organization, that this bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this bid, with any other Bidder or with any competitor.

Bidder hereby agrees to commence work under this contract within ten (10) days of the date to be specified in the Notice to Proceed and to fully complete the project within _45_ consecutive calendar days thereafter.

No Bidder may withdraw a bid within 60 days after the actual opening thereof.

Bidder acknowledges receipt of the following addenda:

Bidder agrees to perform all the work described in the contract documents, including coordination with QA/QC personnel, for the following unit prices or lump sum amounts.


NOTE: Bids shall include sales tax and all other applicable taxes and fees.

*Insert "a corporation", "a partnership" or "an individual", as applicable.

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

No.	Bid Item	Estimated Quantity	Units	Bid Unit Price	Bid Total Price
1	Mobilization and Demobilization	1	lump sum	\$16,500.00	\$16,500.00
2	Clearing and Grubbing	3	acres	\$2,348.87	\$7,046.61
3	Soil Excavation	14,929	cubic yards	\$5.12	\$76,436.48
4	Structural Fill	379	cubic yards	\$15.96	\$6,048.84
5	Subgrade Preparation	129,809	square feet	\$0.19	\$24,663.71
6	Existing Liner Tie-In Preparation	1	lump sum	\$22,492.00	\$22,492.00
7	Compacted Clay Liner Construction (On-Site Material)	14,423	cubic yards	\$7.17	\$103,412.91
8	Imported Clay Liner Material, if required	1	cubic yard unit price	\$28.20	
9	Protective Soil Layer	4,808	cubic yards	\$5.53	\$26,588.24
10	Temporary Drainage Controls	1	lump sum	\$18,817.00	\$18,817.00
11	Site Restoration and Cleanup	1	lump sum	\$28,464.00	\$28,464.00
				Bid Total:	\$330,469.79

Respectfully Submitted,

	BLAKE MOODY WELDING + CONSTRUCTION, LC
Signature	Company Name
OWNER	10236 FM 274 RAVENNA, TX 75476
Title	Address
8-10-26	978-604-4915
Date	Telephone Number

PROJECT OVERVIEW

This Scope of Work outlines the general activities, responsibilities, and deliverables associated with the earthwork construction for Cell 2A at the City of Durant C&D Landfill. The work generally includes site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner, placement of a one-foot protective soil layer over the clay liner after the liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings.

The compacted clay liner shall be constructed to achieve a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec and shall serve as the low-permeability soil component of the landfill liner system.

Cell 2A is shown on the construction plans as approximately 2.98 acres. Plan quantities include approximately 14,929 cubic yards of cut, 379 cubic yards of fill, and approximately 14,423 cubic yards for the three-foot recompacted clay liner. The approximate surface area of Cell 2A is 129,809 square feet. The estimated quantity for the one-foot protective soil layer is approximately 4,808 cubic yards. These quantities are estimates only and shall be verified by the Contractor.

PROJECT SCHEDULE

Time is of the essence. The City of Durant desires that the project be completed in an expeditious manner. The construction activities are generally anticipated to include the following phases:

Phase 1: Site Preparation and Excavation

Phase 2: Structural Fill, Subgrade Preparation, and Existing Liner Tie-In Preparation

Phase 3: Clay Liner Construction

Phase 4: Protective Soil Layer Placement

Phase 5: Temporary Drainage Controls, Site Restoration, and Cleanup

QA/QC PLAN REQUIREMENT

All work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan. The Contractor shall cooperate with the Owner, Consultant, Project Engineer, CQA monitor, surveyor, and testing personnel throughout the project and shall provide reasonable access to the work for inspection, testing, surveying, documentation, and verification.

Work subject to QA/QC testing, observation, or approval shall not be covered, concealed, or advanced until the required observations, tests, or approvals have been completed. This includes, but is not limited to, subgrade preparation, structural fill, compacted clay liner placement, liner tie-in preparation, liner thickness verification, hydraulic conductivity testing, protective soil placement, and related work.

The Contractor shall be responsible for correcting, at no additional cost to the Owner, any work that does not meet the requirements of the project plans, specifications, permit documents, or QA/QC Plan.

RESPONSIBILITIES

Contractor Responsibilities:

1. Provide all necessary labor, equipment, supervision, and materials required to complete the work included in this Scope of Work.

3. Adhere to all applicable health, safety, and environmental regulations.
4. Coordinate construction activities with the landfill owner/operator, Consultant, Project Engineer, CQA monitor, testing personnel, surveyor, and other relevant parties.
5. Maintain the integrity of completed work and protect work areas from damage, erosion, desiccation, freezing, ponded water, traffic damage, or other conditions that may adversely affect the completed work.
6. Provide access for surveying, inspection, testing, and documentation.
7. Conduct regular inspections of the work and maintain accurate records of work progress.
8. Repair, replace, or rework deficient work as required by the Owner, Consultant, Project Engineer, or CQA monitor.

Landfill Owner/Operator Responsibilities:

1. Provide access to the site and identify available utilities for construction activities.
2. Coordinate with the Contractor in planning and executing the project.
3. Arrange for required construction quality assurance testing, inspection, surveying, and documentation by others.
4. Coordinate with regulatory authorities, as necessary.
5. Provide general direction regarding landfill operations, site access, traffic routing, and work areas.

CONSTRUCTION ACTIVITIES

Site Preparation and Excavation

1. Clear the designated construction area of vegetation, debris, and other obstructions, as necessary.
2. Excavate an estimated 14,929 cubic yards of soil from the specified area to the required grades and subgrades shown on the construction drawings.
3. Construct an estimated 379 cubic yards of structural fill as shown on the construction drawings.
4. Perform necessary grading to achieve the required subgrade elevations and surface conditions.
5. Compact the upper six inches of the surface on which the liner is to be placed to a minimum of 90% of the Standard Proctor density, as determined by ASTM D698.
6. Prepare the existing Cell 1A liner tie-in area in accordance with the construction drawings and as directed by the Owner, Consultant, Project Engineer, and CQA monitor.
7. Construct required berms, trenches, drainage features, or other temporary controls necessary to manage surface water run-on and runoff during construction.
8. Maintain the work area in a stable and workable condition throughout construction.

Clay Liner Construction

The clay liner will encompass approximately 129,809 square feet and shall be constructed in the following manner:

1. Scarify the surface on which each lift is to be placed to a nominal depth of approximately one inch.
2. Place each lift of soil at a loose thickness of nine inches or less.
3. Compact and remold each lift to a compacted thickness of six inches or less using a heavy-footed roller equipped with feet capable of fully penetrating the loose lift of soil.
4. Construct the three-foot-thick liner in multiple compacted lifts. Each compacted lift shall be no greater than six inches thick unless otherwise approved by the Owner, Consultant, Project Engineer, and CQA monitor.
5. Compact each lift to a minimum density of at least 95% of the Standard Proctor density, as determined by ASTM D698, or 90% of the Modified Proctor density, as determined by ASTM D1557, unless otherwise approved by the Owner, Consultant, Project Engineer, or CQA monitor, provided that the hydraulic conductivity requirement of 1.0×10^{-5} cm/sec is achieved.

7. Protect completed liner surfaces from desiccation, cracking, erosion, freezing, ponded water, equipment damage, and contamination.
8. Inspect completed liner surfaces for flaws, cracks, soft areas, loose areas, or other defects.
9. Repair, replace, rework, and retest any portion of the liner that does not satisfy the project requirements.
10. Coordinate with QA/QC personnel so that required density, moisture, thickness, hydraulic conductivity, surveying, and other verification testing or documentation can be completed.

Clay soil suitable for construction of the compacted clay liner is anticipated to be available within the excavation area. Construction verification testing will be performed by others; however, the Contractor shall fully coordinate with the testing personnel and shall not proceed with work that would cover or interfere with testing until the required testing or approval has been completed.

Protective Soil Layer

1. After the clay liner has been constructed, tested, and thickness verified, place a one-foot-thick protective soil layer over the compacted clay liner. The estimated protective soil quantity is approximately 4,808 cubic yards.
2. Place protective soil in a manner that does not damage, rut, crack, desiccate, contaminate, or otherwise compromise the completed clay liner.
3. Do not place protective soil until required QA/QC observations, testing, surveying, and approvals for the underlying clay liner have been completed.
4. Maintain positive drainage and protect the protective soil layer from erosion, ponding, and traffic damage until the work is accepted.

Miscellaneous

The Contractor shall perform other related work shown on the construction drawings or reasonably necessary to complete the project, including but not limited to temporary drainage controls, maintenance of access, protection of existing facilities, protection of survey control, and coordination with ongoing landfill operations.

SITE RESTORATION AND CLEANUP

Upon completion of the work, the Contractor shall clean all areas used for construction, staging, fueling, maintenance, storage, and access. Cleanup shall include removal of construction-related waste, trash, excess materials, debris, and temporary facilities unless otherwise approved by the Owner.

Disturbed areas not incorporated into the final landfill cell construction shall be graded and stabilized as directed by the Owner.

HEALTH, SAFETY, AND ENVIRONMENTAL CONSIDERATIONS

The Contractor shall strictly adhere to all applicable health, safety, and environmental regulations. The Contractor shall implement appropriate measures to minimize dust, noise, erosion, sediment transport, stormwater impacts, and the release of pollutants during construction.

The Contractor shall be responsible for maintaining safe work conditions, protecting landfill personnel and the public, and promptly reporting and responding to spills, releases, unsafe conditions, or other environmental or safety concerns.

Bids will be received by the City of Durant, Oklahoma (herein called the "Owner") at 300 W Evergreen St, Durant, Oklahoma 74701 until 2:00p.m., Central Time, on Monday, August 10th 2026, and then at said office publicly opened and read aloud.

Each bid must be submitted in a sealed envelope addressed to the **City Clerk for the City of Durant**. Each sealed envelope containing a bid must be plainly marked on the outside as "Bid for City of Durant C&D Landfill - Cell 2A Construction." The envelope shall bear the bidder's name, address, license number, if applicable, and the name of the project for which the bid is submitted. If forwarded by mail, the sealed envelope containing the bid must be enclosed in another envelope addressed to the Department of Solid Waste Services, 300 W Evergreen St, Durant, Oklahoma 74701.

All bids must be made on the required bid form. All blank spaces for bid prices must be filled in, in ink or typewritten, and the bid form must be fully completed and executed when submitted. Only one copy of the bid form is required.

PROJECT DESCRIPTION AND SCOPE OF BID

The project generally consists of construction of the Cell 2A construction and demolition waste disposal cell at the City of Durant C&D Landfill, Permit No. 3507001, in Bryan County, Oklahoma. Cell 2A is shown on the construction plans as approximately 2.98 acres. The work generally includes site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, construction of a three-foot-thick compacted clay liner with a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec, preparation of the tie-in to the existing Cell 1A liner, placement of a one-foot protective soil layer over the completed clay liner after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and other related work shown on the drawings and described in the contract documents. The Contractor shall coordinate its work with the Owner, Consultant, Project Engineer, CQA monitor, testing personnel, and landfill operations personnel.

The Contractor shall be responsible for work necessary to prepare the site and construct the landfill cell in accordance with the approved plans, specifications, permit requirements, and Construction Quality Assurance/Quality Control Plan. The work is subject to inspection, surveying, thickness verification, density testing, moisture testing, and hydraulic conductivity testing.

BIDDER REVIEW OF CONTRACT DOCUMENTS AND SITE CONDITIONS

Bidders must satisfy themselves as to the accuracy of the estimated quantities in the Bid Schedule by examination of the site and by review of the drawings, specifications, Quality Assurance/Quality Control Plan, and all addenda. After bids have been submitted, no bidder shall assert that there was a misunderstanding concerning the quantities of work or the nature of the work to be done.

Each bidder is responsible for inspecting the site and for reading and being thoroughly familiar with the contract documents. The failure or omission of any bidder to do any of the foregoing shall in no way relieve the bidder from any obligation with respect to its bid.

Existing site features, utilities, limits of waste, existing liner tie-in locations, drainage features, survey control, and other site information shown on the drawings are based on available information and may be approximate. The Contractor shall verify existing conditions in the field and shall notify the Owner, Consultant, and Project Engineer of any discrepancy before proceeding with affected work.

CONSTRUCTION COORDINATION

Landfilling operations may be ongoing during construction. The Contractor shall coordinate construction activities with the Owner and landfill operations personnel so that construction work is performed safely and with minimal disruption to landfill operations.

The Contractor shall locate, expose, protect, and prepare the existing Cell 1A clay liner tie-in area as shown on the construction drawings. Tie-in preparation and completion shall be coordinated with the Owner,

Consultant, Project Engineer, and CQA monitor. The Contractor shall protect existing landfill infrastructure, utilities, roads, drainage features, monitoring wells, gas probes, survey control, and other facilities during construction.

The Contractor shall maintain completed subgrade, liner, and protective soil surfaces in a stable condition and shall protect completed work from desiccation, cracking, erosion, freezing, ponded water, rutting, contamination, construction traffic damage, or other conditions that may adversely affect the work.

The contract documents contain the provisions required for construction of the project. Information obtained from an officer, agent, or employee of the Owner, or from any other person, shall not affect the risks or obligations assumed by the Contractor or relieve the Contractor from fulfilling any of the conditions of the contract.

BID REQUIREMENTS AND AWARD

The Owner may waive any informalities or minor defects or reject any and all bids. Any bid may be withdrawn prior to the scheduled time for the opening of bids or authorized postponement thereof. Any bid received after the time and date specified shall not be considered. No bidder may withdraw a bid within sixty (60) days after the actual date of the bid opening. Should there be reasons why the contract cannot be awarded within the specified period, the time may be extended by mutual agreement between the Owner and the bidders.

The party to whom the contract is awarded will be required to execute an agreement within ten (10) calendar days from the date when the Notice of Award is delivered to the bidder. The Notice of Award shall be accompanied by the necessary agreement. In case of failure of the bidder to execute the agreement, the Owner may consider the bidder in default.

The Notice to Proceed shall be issued within ten (10) days of execution of the agreement by the Owner, unless extended by mutual agreement between the Owner and Contractor. The Owner may make such investigations as deemed necessary to determine the ability of the bidder to perform the work, and the bidder shall furnish to the Owner all such information and data for this purpose as the Owner may request.

A conditional or qualified bid will not be accepted. Award will be made to the lowest responsible bidder, subject to the Owner's right to reject any and all bids. All applicable laws, ordinances, and rules and regulations of authorities having jurisdiction over construction of the project shall apply to the contract throughout.

When alternate bids are submitted, they will be listed in numerical priority order, with the highest priority being Alternate No. 1, followed by Alternate No. 2, and so forth. When alternates are used, the low bidder will be selected based on the lowest and best bid considering the base bid and the selected alternates, as determined by the Owner. Alternates will be considered in consecutive priority order to remain within the funds available for the project.

The selected bidder shall supply the names and addresses of major material suppliers and subcontractors when required to do so by the Owner.

Inspection trips for prospective bidders will be conducted at the City of Durant C&D Landfill at 1:00 p.m. on Wednesday, July 29th, 2026. Prospective bidders are strongly encouraged to attend the site inspection before submitting a bid. A prebid meeting will be scheduled for Wednesday, July 29th, 2026 at 2:00 p.m. at the City of Durant City Hall Council Chambers. Located at 300 W. Evergreen Durant, OK 74701.

Questions regarding the bid documents, drawings, specifications, or site conditions shall be submitted in writing to the Owner, Consultant, and Project Engineer. Interpretations, clarifications, or changes to the contract documents will be made only by written addendum. Oral statements or interpretations shall not be binding.

CONSULTANT AND PROJECT ENGINEER

Consultant	The Carel Corporation 136 Pecan Street Keller, Texas 76248 Attention: Chris Torres
------------	---

	Chris.Torres@TheCarelCorporation.com
Project Engineer	TriCore Group, LLC P.O. Box 720992 Oklahoma City, Oklahoma 73172 Attention: Joe Paul Edwards JoePaul@TriCoregrp.com

SPECIAL NOTE TO BIDDERS

As part of the bid on this project, the successful bidder will be required to meet all requirements of the Underground Facilities Damage Prevention Act when engaged in work within the public right-of-way in the same manner as in private right-of-way. The Contractor shall also comply with Oklahoma One-Call / OKIE 811 requirements and shall coordinate utility locates before excavation or other subsurface work.

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

Proposal of KC Dirtworks LLC

(Hereinafter called "Bidder"), organized and existing under the laws of the State of Oklahoma doing business as a limited liability company * to City of Durant, Oklahoma (hereinafter called "Owner").

In compliance with the City of Durant's Advertisement for Bids, Bidder hereby proposes to perform all work associated with Cell 2A earthwork construction at the City of Durant C&D Landfill, including site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner with a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec, placement of a one-foot protective soil layer after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings and described in the contract documents, within the time set forth therein and at the prices stated below.

Bidder acknowledges that all work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan, and that work subject to required QA/QC observation, testing, surveying, thickness verification, or approval shall not be covered, concealed, or advanced until the required observations, tests, surveys, or approvals have been completed.

By submission of this bid, each Bidder certifies, and in the case of a joint bid each party certifies as to its own organization, that this bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this bid, with any other Bidder or with any competitor.

Bidder hereby agrees to commence work under this contract within ten (10) days of the date to be specified in the Notice to Proceed and to fully complete the project within ~~30~~ 42 consecutive calendar days thereafter.

No Bidder may withdraw a bid within 60 days after the actual opening thereof.

Bidder acknowledges receipt of the following addenda:

None

Bidder agrees to perform all the work described in the contract documents, including coordination with QA/QC personnel, for the following unit prices or lump sum amounts.

NOTE: Bids shall include sales tax and all other applicable taxes and fees.


*Insert "a corporation", "a partnership" or "an individual", as applicable.

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

No.	Bid Item	Estimated Quantity	Units	Bid Unit Price	Bid Total Price
1	Mobilization and Demobilization	1	lump sum	\$12,000.00	\$12,000.00
2	Clearing and Grubbing	3	acres	\$2,500.00	\$2,500.00
3	Soil Excavation	14,929	cubic yards	\$5.00	\$74,645
4	Structural Fill	379	cubic yards	\$6.5	\$2,463.50
5	Subgrade Preparation	129,809	square feet	\$0.14	\$18,173.26
6	Existing Liner Tie-In Preparation	1	lump sum	\$2,500	\$2,500.00
7	Compacted Clay Liner Construction (On-Site Material)	14,423	cubic yards	\$6.50	\$93,744.50
8	Imported Clay Liner Material, if required	1	cubic yard unit price	\$16	\$230,766.00
9	Protective Soil Layer	4,808	cubic yards	\$6.00	\$28,848
10	Temporary Drainage Controls	1	lump sum	\$2,500.00	\$2,500.00
11	Site Restoration and Cleanup	1	lump sum	\$5,000.00	\$5,000.00
				Bid Total:	\$473,147.26

Bid Total - Import = \$242,377.26

Respectfully Submitted,

	K.L. Dart works LLC
Signature	Company Name
Owner	104 Evergreen Dr. Ardmore, OK 73401
Title	Address
8-10-26	580-509-7339
Date	Telephone Number

Can start 8-17-26

CELL 2A BID PROPOSAL

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

Proposal of BJS Oilfield Construction

(Hereinafter called "Bidder"), organized and existing under the laws of the State of Oklahoma doing business as BJS Oil Field Construction * to City of Durant, Oklahoma (hereinafter called "Owner").

In compliance with the City of Durant's Advertisement for Bids, Bidder hereby proposes to perform all work associated with Cell 2A earthwork construction at the City of Durant C&D Landfill, including site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner with a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec, placement of a one-foot protective soil layer after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings and described in the contract documents, within the time set forth therein and at the prices stated below.

Bidder acknowledges that all work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan, and that work subject to required QA/QC observation, testing, surveying, thickness verification, or approval shall not be covered, concealed, or advanced until the required observations, tests, surveys, or approvals have been completed.

By submission of this bid, each Bidder certifies, and in the case of a joint bid each party certifies as to its own organization, that this bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this bid, with any other Bidder or with any competitor.

Bidder hereby agrees to commence work under this contract within ten (10) days of the date to be specified in the Notice to Proceed and to fully complete the project within 60 consecutive calendar days thereafter.

No Bidder may withdraw a bid within 60 days after the actual opening thereof.

Bidder acknowledges receipt of the following addenda:

Bidder agrees to perform all the work described in the contract documents, including coordination with QA/QC personnel, for the following unit prices or lump sum amounts.


NOTE: Bids shall include sales tax and all other applicable taxes and fees.

*Insert "a corporation", "a partnership" or "an individual", as applicable.

CELL 2A BID PROPOSAL

City of Durant C&D Landfill . Cell 2A Bryan County, Oklahoma

No.	Bid Item	Estimated Quantity	Units	Bid Unit Price	Bid Total Price
1	Mobilization and Demobilization	1	lump sum	\$ 38,500.00	\$ 38,500.00
2	Clearing and Grubbing	3	acres	\$ 2,800.00	\$ 8,400.00
3	Soil Excavation	14,929	cubic yards	\$ 7.00	\$ 104,503.00
4	Structural Fill	379	cubic yards	\$ 20.00	\$ 7,580.00
5	Subgrade Preparation	129,809	square feet	\$ 0.40	\$ 51,923.60
6	Existing Liner Tie-In Preparation	1	lump sum	\$ 28,000.00	\$ 28,000.00
7	Compacted Clay Liner Construction (On-Site Material)	14,423	cubic yards	\$ 10.00	\$ 144,230.00
8	Imported Clay Liner Material, if required	1	cubic yard unit price	\$ 40.00	\$ 40.00
9	Protective Soil Layer	4,808	cubic yards	\$ 9.25	\$ 44,474.00
10	Temporary Drainage Controls	1	lump sum	\$ 12,000.00	\$ 12,000.00
11	Site Restoration and Cleanup	1	lump sum	\$ 15,000.00	\$ 15,000.00
				Bid Total:	\$ 454,650.60

Signature 	Company Name
	BJ's Oilfield Const.
Title	Address
ESTIMATOR	722 W Memorial Veteran HWY Blanchard, Ok.
Date 8/10/26	Telephone Number 405-695-1361

CONTRACTOR SCOPE OF WORK

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

PROJECT OVERVIEW

This Scope of Work outlines the general activities, responsibilities, and deliverables associated with the earthwork construction for Cell 2A at the City of Durant C&D Landfill. The work generally includes site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner, placement of a one-foot protective soil layer over the clay liner after the liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings.

The compacted clay liner shall be constructed to achieve a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec and shall serve as the low-permeability soil component of the landfill liner system.

Cell 2A is shown on the construction plans as approximately 2.98 acres. Plan quantities include approximately 14,929 cubic yards of cut, 379 cubic yards of fill, and approximately 14,423 cubic yards for the three-foot recompacted clay liner. The approximate surface area of Cell 2A is 129,809 square feet. The estimated quantity for the one-foot protective soil layer is approximately 4,808 cubic yards. These quantities are estimates only and shall be verified by the Contractor.

PROJECT SCHEDULE

Time is of the essence. The City of Durant desires that the project be completed in an expeditious manner. The construction activities are generally anticipated to include the following phases:

Phase 1: Site Preparation and Excavation

Phase 2: Structural Fill, Subgrade Preparation, and Existing Liner Tie-In Preparation

Phase 3: Clay Liner Construction

Phase 4: Protective Soil Layer Placement

Phase 5: Temporary Drainage Controls, Site Restoration, and Cleanup

QA/QC PLAN REQUIREMENT

All work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan. The Contractor shall cooperate with the Owner, Consultant, Project Engineer, CQA monitor, surveyor, and testing personnel throughout the project and shall provide reasonable access to the work for inspection, testing, surveying, documentation, and verification.

Work subject to QA/QC testing, observation, or approval shall not be covered, concealed, or advanced until the required observations, tests, or approvals have been completed. This includes, but is not limited to, subgrade preparation, structural fill, compacted clay liner placement, liner tie-in preparation, liner thickness verification, hydraulic conductivity testing, protective soil placement, and related work.

The Contractor shall be responsible for correcting, at no additional cost to the Owner, any work that does not meet the requirements of the project plans, specifications, permit documents, or QA/QC Plan.

RESPONSIBILITIES

Contractor Responsibilities:

1. Provide all necessary labor, equipment, supervision, and materials required to complete the work included in this Scope of Work.

2. Perform the work in accordance with the construction drawings, project specifications, permit requirements, and Construction Quality Assurance/Quality Control Plan.
3. Adhere to all applicable health, safety, and environmental regulations.
4. Coordinate construction activities with the landfill owner/operator, Consultant, Project Engineer, CQA monitor, testing personnel, surveyor, and other relevant parties.
5. Maintain the integrity of completed work and protect work areas from damage, erosion, desiccation, freezing, ponded water, traffic damage, or other conditions that may adversely affect the completed work.
6. Provide access for surveying, inspection, testing, and documentation.
7. Conduct regular inspections of the work and maintain accurate records of work progress.
8. Repair, replace, or rework deficient work as required by the Owner, Consultant, Project Engineer, or CQA monitor.

Landfill Owner/Operator Responsibilities:

1. Provide access to the site and identify available utilities for construction activities.
2. Coordinate with the Contractor in planning and executing the project.
3. Arrange for required construction quality assurance testing, inspection, surveying, and documentation by others.
4. Coordinate with regulatory authorities, as necessary.
5. Provide general direction regarding landfill operations, site access, traffic routing, and work areas.

CONSTRUCTION ACTIVITIES

Site Preparation and Excavation

1. Clear the designated construction area of vegetation, debris, and other obstructions, as necessary.
2. Excavate an estimated 14,929 cubic yards of soil from the specified area to the required grades and subgrades shown on the construction drawings.
3. Construct an estimated 379 cubic yards of structural fill as shown on the construction drawings.
4. Perform necessary grading to achieve the required subgrade elevations and surface conditions.
5. Compact the upper six inches of the surface on which the liner is to be placed to a minimum of 90% of the Standard Proctor density, as determined by ASTM D698.
6. Prepare the existing Cell 1A liner tie-in area in accordance with the construction drawings and as directed by the Owner, Consultant, Project Engineer, and CQA monitor.
7. Construct required berms, trenches, drainage features, or other temporary controls necessary to manage surface water run-on and runoff during construction.
8. Maintain the work area in a stable and workable condition throughout construction.

Clay Liner Construction

The clay liner will encompass approximately 129,809 square feet and shall be constructed in the following manner:

1. Scarify the surface on which each lift is to be placed to a nominal depth of approximately one inch.
2. Place each lift of soil at a loose thickness of nine inches or less.
3. Compact and remold each lift to a compacted thickness of six inches or less using a heavy-footed roller equipped with feet capable of fully penetrating the loose lift of soil.
4. Construct the three-foot-thick liner in multiple compacted lifts. Each compacted lift shall be no greater than six inches thick unless otherwise approved by the Owner, Consultant, Project Engineer, and CQA monitor.
5. Compact each lift to a minimum density of at least 95% of the Standard Proctor density, as determined by ASTM D698, or 90% of the Modified Proctor density, as determined by ASTM D1557, unless otherwise approved by the Owner, Consultant, Project Engineer, or CQA monitor, provided that the hydraulic conductivity requirement of 1.0×10^{-5} cm/sec is achieved.

6. Remove rocks, cobbles, roots, organic material, debris, and other foreign objects greater than one inch in diameter.
7. Protect completed liner surfaces from desiccation, cracking, erosion, freezing, ponded water, equipment damage, and contamination.
8. Inspect completed liner surfaces for flaws, cracks, soft areas, loose areas, or other defects.
9. Repair, replace, rework, and retest any portion of the liner that does not satisfy the project requirements.
10. Coordinate with QA/QC personnel so that required density, moisture, thickness, hydraulic conductivity, surveying, and other verification testing or documentation can be completed.

Clay soil suitable for construction of the compacted clay liner is anticipated to be available within the excavation area. Construction verification testing will be performed by others; however, the Contractor shall fully coordinate with the testing personnel and shall not proceed with work that would cover or interfere with testing until the required testing or approval has been completed.

Protective Soil Layer

1. After the clay liner has been constructed, tested, and thickness verified, place a one-foot-thick protective soil layer over the compacted clay liner. The estimated protective soil quantity is approximately 4,808 cubic yards.
2. Place protective soil in a manner that does not damage, rut, crack, desiccate, contaminate, or otherwise compromise the completed clay liner.
3. Do not place protective soil until required QA/QC observations, testing, surveying, and approvals for the underlying clay liner have been completed.
4. Maintain positive drainage and protect the protective soil layer from erosion, ponding, and traffic damage until the work is accepted.

Miscellaneous

The Contractor shall perform other related work shown on the construction drawings or reasonably necessary to complete the project, including but not limited to temporary drainage controls, maintenance of access, protection of existing facilities, protection of survey control, and coordination with ongoing landfill operations.

SITE RESTORATION AND CLEANUP

Upon completion of the work, the Contractor shall clean all areas used for construction, staging, fueling, maintenance, storage, and access. Cleanup shall include removal of construction-related waste, trash, excess materials, debris, and temporary facilities unless otherwise approved by the Owner.

Disturbed areas not incorporated into the final landfill cell construction shall be graded and stabilized as directed by the Owner.

HEALTH, SAFETY, AND ENVIRONMENTAL CONSIDERATIONS

The Contractor shall strictly adhere to all applicable health, safety, and environmental regulations. The Contractor shall implement appropriate measures to minimize dust, noise, erosion, sediment transport, stormwater impacts, and the release of pollutants during construction.

The Contractor shall be responsible for maintaining safe work conditions, protecting landfill personnel and the public, and promptly reporting and responding to spills, releases, unsafe conditions, or other environmental or safety concerns.

City of Durant C&D Landfill - Cell 2A
Permit No. 3507001

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma
Permit No. 3507001

Bids will be received by the City of Durant, Oklahoma (herein called the "Owner") at 300 W Evergreen St, Durant, Oklahoma 74701 until 2:00p.m., Central Time, on Monday, August 10th 2026, and then at said office publicly opened and read aloud.

Each bid must be submitted in a sealed envelope addressed to the **City Clerk for the City of Durant**. Each sealed envelope containing a bid must be plainly marked on the outside as **"Bid for City of Durant C&D Landfill - Cell 2A Construction."** The envelope shall bear the bidder's name, address, license number, if applicable, and the name of the project for which the bid is submitted. If forwarded by mail, the sealed envelope containing the bid must be enclosed in another envelope addressed to the **Department of Solid Waste Services, 300 W Evergreen St, Durant, Oklahoma 74701.**

All bids must be made on the required bid form. All blank spaces for bid prices must be filled in, in ink or typewritten, and the bid form must be fully completed and executed when submitted. Only one copy of the bid form is required.

PROJECT DESCRIPTION AND SCOPE OF BID

The project generally consists of construction of the Cell 2A construction and demolition waste disposal cell at the City of Durant C&D Landfill, Permit No. 3507001, in Bryan County, Oklahoma. Cell 2A is shown on the construction plans as **approximately 2.98** acres. The work generally includes site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, construction of a **three-foot-thick compacted clay liner with a hydraulic** conductivity no greater than 1.0×10^{-5} cm/sec, preparation of the tie-in to the existing Cell 1A liner, placement of a one-foot protective soil layer over the completed clay liner after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and other related work shown on the drawings and described in the contract documents. The Contractor shall coordinate its work with the Owner, Consultant, Project Engineer, CQA monitor, testing personnel, and landfill operations personnel.

The Contractor shall be responsible for work necessary to prepare the site and construct the landfill cell in accordance with the approved plans, specifications, permit requirements, and Construction Quality Assurance/Quality Control Plan. The work is subject to inspection, surveying, thickness verification, density testing, moisture testing, and hydraulic conductivity testing.

BIDDER REVIEW OF CONTRACT DOCUMENTS AND SITE CONDITIONS

Bidders must satisfy themselves as to the accuracy of the estimated quantities in the Bid Schedule by examination of the site and by review of the drawings, specifications, Quality Assurance/Quality Control Plan, and all addenda. After bids have been submitted, no bidder shall assert that there was a misunderstanding concerning the quantities of work or the nature of the work to be done.

Each bidder is responsible for inspecting the site and for reading and being thoroughly familiar with the contract documents. The failure or omission of any bidder to do any of the foregoing shall in no way relieve the bidder from any obligation with respect to its bid.

Existing site features, utilities, limits of waste, existing liner tie-in locations, drainage features, survey control, and other site information shown on the drawings are based on available information and may be approximate. The Contractor shall verify existing conditions in the field and shall notify the Owner, Consultant, and Project Engineer of any discrepancy before proceeding with affected work.

CONSTRUCTION COORDINATION

Landfilling operations may be ongoing during construction. The Contractor shall coordinate construction activities with the Owner and landfill operations personnel so that construction work is performed safely and with minimal disruption to landfill operations.

The Contractor shall locate, expose, protect, and prepare the existing Cell 1A clay liner tie-in area as shown on the construction drawings. Tie-in preparation and completion shall be coordinated with the Owner,

City of Durant C&D Landfill - Cell 2A
Permit No. 3507001

Consultant, Project Engineer, and CQA monitor. The Contractor shall protect existing landfill infrastructure, utilities, roads, drainage features, monitoring wells, gas probes, survey control, and other facilities during construction.

The Contractor shall maintain completed subgrade, liner, and protective soil surfaces in a stable condition and shall protect completed work from desiccation, cracking, erosion, freezing, ponded water, rutting, contamination, construction traffic damage, or other conditions that may adversely affect the work.

The contract documents contain the provisions required for construction of the project. Information obtained from an officer, agent, or employee of the Owner, or from any other person, shall not affect the risks or obligations assumed by the Contractor or relieve the Contractor from fulfilling any of the conditions of the contract.

BID REQUIREMENTS AND AWARD

The Owner may waive any informalities or minor defects or reject any and all bids. Any bid may be withdrawn prior to the scheduled time for the opening of bids or authorized postponement thereof. Any bid received after the time and date specified shall not be considered. No bidder may withdraw a bid within sixty (60) days after the actual date of the bid opening. Should there be reasons why the contract cannot be awarded within the specified period, the time may be extended by mutual agreement between the Owner and the bidders.

The party to whom the contract is awarded will be required to execute an agreement within ten (10) calendar days from the date when the Notice of Award is delivered to the bidder. The Notice of Award shall be accompanied by the necessary agreement. In case of failure of the bidder to execute the agreement, the Owner may consider the bidder in default.

The Notice to Proceed shall be issued within ten (10) days of execution of the agreement by the Owner, unless extended by mutual agreement between the Owner and Contractor. The Owner may make such investigations as deemed necessary to determine the ability of the bidder to perform the work, and the bidder shall furnish to the Owner all such information and data for this purpose as the Owner may request.

A conditional or qualified bid will not be accepted. Award will be made to the lowest responsible bidder, subject to the Owner's right to reject any and all bids. All applicable laws, ordinances, and rules and regulations of authorities having jurisdiction over construction of the project shall apply to the contract throughout.

When alternate bids are submitted, they will be listed in numerical priority order, with the highest priority being Alternate No. 1, followed by Alternate No. 2, and so forth. When alternates are used, the low bidder will be selected based on the lowest and best bid considering the base bid and the selected alternates, as determined by the Owner. Alternates will be considered in consecutive priority order to remain within the funds available for the project.

The selected bidder shall supply the names and addresses of major material suppliers and subcontractors when required to do so by the Owner.

Inspection trips for prospective bidders will be conducted at the City of Durant C&D Landfill at 1:00 p.m. on Wednesday, July 29th, 2026. Prospective bidders are strongly encouraged to attend the site inspection before submitting a bid. A prebid meeting will be scheduled for Wednesday, July 29th, 2026 at 2:00 p.m. at the City of Durant City Hall Council Chambers. Located at 300 W. Evergreen Durant, OK 74701.

Questions regarding the bid documents, drawings, specifications, or site conditions shall be submitted in writing to the Owner, Consultant, and Project Engineer. Interpretations, clarifications, or changes to the contract documents will be made only by written addendum. Oral statements or interpretations shall not be binding.

CONSULTANT AND PROJECT ENGINEER

Consultant	The Carel Corporation 136 Pecan Street Keller, Texas 76248 Attention: Chris Torres
------------	---

City of Durant C&D Landfill - Cell 2A
Permit No. 3507001

	Chris.Torres@TheCarelCorporation.com
Project Engineer	TriCore Group, LLC P.O. Box 720992 Oklahoma City, Oklahoma 73172 Attention: Joe Paul Edwards JoePaul@TriCoregrp.com

SPECIAL NOTE TO BIDDERS

As part of the bid on this project, the successful bidder will be required to meet all requirements of the Underground Facilities Damage Prevention Act when engaged in work within the public right-of-way in the same manner as in private right-of-way. The Contractor shall also comply with Oklahoma One-Call / OKIE 811 requirements and shall coordinate utility locates before excavation or other subsurface work.

CELL 2A BID PROPOSAL

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

Proposal of Stephenson Dirt

(Hereinafter called "Bidder"), organized and existing under the laws of the State of Texas doing business as Stephenson Dirt * to City of Durant, Oklahoma (hereinafter called "Owner").

In compliance with the City of Durant's Advertisement for Bids, Bidder hereby proposes to perform all work associated with Cell 2A earthwork construction at the City of Durant C&D Landfill, including site preparation, clearing and grubbing, excavation, structural fill, subgrade preparation, preparation of the existing Cell 1A liner tie-in, construction of a three-foot-thick compacted clay liner with a hydraulic conductivity no greater than 1.0×10^{-5} cm/sec, placement of a one-foot protective soil layer after liner thickness has been verified, temporary drainage controls, site restoration, cleanup, and related work shown on the construction drawings and described in the contract documents, within the time set forth therein and at the prices stated below.

Bidder acknowledges that all work shall be performed in accordance with the project plans, specifications, permit requirements, and the Construction Quality Assurance/Quality Control Plan, and that work subject to required QA/QC observation, testing, surveying, thickness verification, or approval shall not be covered, concealed, or advanced until the required observations, tests, surveys, or approvals have been completed.

By submission of this bid, each Bidder certifies, and in the case of a joint bid each party certifies as to its own organization, that this bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this bid, with any other Bidder or with any competitor.

Bidder hereby agrees to commence work under this contract within ten (10) days of the date to be specified in the Notice to Proceed and to fully complete the project within 45 consecutive calendar days thereafter.

No Bidder may withdraw a bid within 60 days after the actual opening thereof.

Bidder acknowledges receipt of the following addenda:

Bidder agrees to perform all the work described in the contract documents, including coordination with QA/QC personnel, for the following unit prices or lump sum amounts.

NOTE: Bids shall include sales tax and all other applicable taxes and fees.


*Insert "a corporation", "a partnership" or "an individual", as applicable.

CELL 2A BID PROPOSAL

City of Durant C&D Landfill - Cell 2A
Bryan County, Oklahoma

No.	Bid Item	Estimated Quantity	Units	Bid Unit Price	Bid Total Price
1	Mobilization and Demobilization	1	lump sum	\$48,750.00	\$48,750.00
2	Clearing and Grubbing	3	acres	\$4,167.00	\$12,501.00
3	Soil Excavation	14,929	cubic yards	\$4.00	\$59,716.00
4	Structural Fill	379	cubic yards	\$4.00	\$1,516.00
5	Subgrade Preparation	129,809	square feet	\$.15	\$19,471.35
6	Existing Liner Tie-In Preparation	1	lump sum	\$10,000.00	\$10,000.00
7	Compacted Clay Liner Construction (On-Site Material)	14,423	cubic yards	\$7.18	\$103,557.14
8	Imported Clay Liner Material, if required	1	cubic yard unit price	\$35.75	\$35.75
9	Protective Soil Layer	4,808	cubic yards	\$7.18	\$34,521.44
10	Temporary Drainage Controls	1	lump sum	\$35,000.00	\$35,000.00
11	Site Restoration and Cleanup	1	lump sum	\$15,000.00	\$15,000.00
				Bid Total:	\$340,068.68

Respectfully Submitted,

	Stephenson Dirt
Signature	Company Name
Project Manager - Jon McNitt	4995 S. I-30 Frontage, Mt Pleasant TX 75455
Title	Address
8/10/2026	903-524-2225
Date	Telephone Number